



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 2404SMAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

## WYLD MED Raspberry 1000mg THC

Batch #: AZ MED RB B112

Strain: Sativa

Parent Batch #: 240227-001

Production Method: Coconut Oil

Harvest Date: 11/22/2023

Received: 04/26/2024

Sample ID: 2404SMAZ0593.1839

Amount Received: 102.1 g

Sample Type: Soft Chew

Sample Collected: 04/26/2024 11:04:00

Manufacture Date: 04/25/2024

Published: 05/02/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Molsture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>1.019%</b> Total THC
<b>0.004%</b> Total CBD
<b>0.010%</b> CBN
<b>0.028%</b> CBG
<b>1.073%</b> Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 2404SMAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 04/29/2024  
 SOP: 418.AZ  
 Batch Number: 1293

**Sample Analysis**

Date: 04/30/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 1.004 g  
 Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	DIL.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.006	0.019	2	ND	ND	ND	ND	
CBD	0.006	0.019	2	0.004	0.040	0.204	4.080	
CBDA	0.006	0.019	2	ND	ND	ND	ND	
CBDV	0.006	0.019	2	ND	ND	ND	ND	
CBG	0.006	0.019	2	0.028	0.275	1.403	28.050	
CBGA	0.006	0.019	2	ND	ND	ND	ND	
CBN	0.006	0.019	2	0.010	0.102	0.520	10.404	
d8-THC	0.006	0.019	2	ND	ND	ND	ND	
d9-THC	0.006	0.019	2	1.019	10.188	51.959	1039.176	
THCA	0.006	0.019	2	ND	ND	ND	ND	
THCV	0.006	0.019	2	0.012	0.122	0.622	12.444	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	1.019	10.188	51.959	1039.176	
Total CBD	0.004	0.040	0.204	4.080	
Total Cannabinoids	1.073	10.726	54.703	1094.052	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
 Serving Weight: 3.1 None; Servings/Package: 20

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 2404SMAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 05/01/2024  
 SOP: 431.AZ  
 Batch Number: 1303

**Sample Analysis**

Date: 05/02/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.059 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 04/29/2024  
 SOP: 406.AZ  
 Batch Number: 1289

**Sample Analysis**

Date: 04/30/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.025 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 24045MAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Residual Solvents**

HS-GC-MS **Pass**

**Sample Prep**

Batch Date: 04/30/2024  
 SOP: 405.AZ  
 Batch Number: 1294

**Sample Analysis**

Date: 05/01/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.0534 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	62 / 187	1	1000	ND		Heptane	313 / 936	1	5000	ND	
Acetonitrile	26 / 77	1	410	ND		Hexanes	45 / 136	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	313 / 936	1	5000	ND	
Butanes	155 / 468	1	5000	ND		Methanol	187 / 562	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	313 / 936	1	5000	ND	
Dichloromethane	37 / 112	1	600	ND		2-Propanol (IPA)	313 / 936	1	5000	ND	
Ethanol	313 / 936	1	5000	ND		Toluene	56 / 167	1	890	ND	
Ethyl acetate	313 / 936	1	5000	ND		Xylenes	272 / 813	1	2170	ND	
Ethyl ether	313 / 936	1	5000	ND							

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 2404SMAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 04/30/2024  
 SOP: 428.AZ  
 Batch Number: 1295

**Sample Analysis**  
 Date: 04/30/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.222 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	DIL.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.180	10	0.4	ND	
Cadmium	0.018	0.180	10	0.4	ND	
Lead	0.018	0.451	10	1	<LOQ	
Mercury	0.018	0.090	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 04/26/2024  
 SOP: 432.AZ  
 Batch Number: 1283

**Sample Analysis**  
 Date: 04/30/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.551 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	DIL.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.63	9.07	1	20	ND	R1 V1
Aflatoxin B1	3.63	9.73	1		ND	
Aflatoxin B2	3.63	9.73	1		ND	
Aflatoxin G1	3.63	9.73	1		ND	R1
Aflatoxin G2	3.63	4.86	1		ND	R1 V1
Ochratoxin A	9.07	9.73	1	20	ND	I1, L1

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 24045MAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 04/26/2024  
 SOP: 432.AZ  
 Batch Number: 1283

**Sample Analysis**

Date: 04/30/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.551 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.075 / 0.227	1	0.5	ND		Hexythiazox	0.152 / 0.454	1	1	ND	
Acaphate	0.061 / 0.181	1	0.4	ND		Imazail	0.030 / 0.091	1	0.2	ND	
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.181	1	0.4	ND	
Aldicarb	0.061 / 0.181	1	0.4	ND		Kresoxim-methyl	0.061 / 0.181	1	0.4	ND	
Axoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND		Metazalyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	M2
Boscalid	0.061 / 0.181	1	0.4	ND		Methomyl	0.061 / 0.181	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.075 / 0.227	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	M2	Oxaryl	0.152 / 0.454	1	1	ND	
Chlorfenapyr	0.152 / 0.454	1	1	ND	I1, M1	Paclobutraol	0.061 / 0.181	1	0.4	ND	M2
Chlorpyrifos	0.030 / 0.091	1	0.2	ND	M1	Permethrins	0.030 / 0.091	1	0.2	ND	
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.152 / 0.454	1	1	ND		Piperonyl Butoxide	0.302 / 0.907	1	2	ND	
Cypermethrin	0.152 / 0.454	1	1	ND		Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.152 / 0.454	1	1	ND		Propiconazole	0.061 / 0.181	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND		Pyrethrins	0.127 / 0.380	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.181	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.181	1	0.4	ND	
Fenpyroximate	0.061 / 0.181	1	0.4	ND		Tebuconazole	0.061 / 0.181	1	0.4	ND	
Fipronil	0.061 / 0.181	1	0.4	ND	I1	Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.152 / 0.454	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.181	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 24045MAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: 00000057DCHF00477864

Manufactured By: 00000116DCJL00597353

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>




Northwest Confections Arizona  
 7139 E 22nd St  
 Tucson, AZ 85710  
 License #: 00000057DCHF00477864  
 Sample ID: 2404SMAZ0593.1839  
 Batch #: AZ MED RB B112



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 5803

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

## iLAVA Hybrid Blend Distillate

Batch #: 240227-001  
 Strain: Hybrid Blend  
 Parent Batch #:  
 Production Method: Alcohol  
 Harvest Date: 11/22/2023  
 Received: 02/27/2024

Sample ID: 2402SMAZ0291.0917  
 Amount Received: 15 g  
 Sample Type: Distillate  
 Sample Collected: 02/27/2024 10:08:00  
 Manufacture Date: 02/27/2024  
 Published: 03/04/2024



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3) <b>Tested</b>	Microbial Contaminants <b>Pass</b>	Residual Solvents <b>Pass</b>
Pesticides, Fungicides, and Growth Regulators <b>Pass</b>	Mycotoxins <b>Pass</b>	Heavy Metals <b>Pass</b>

### Additional Analytes (Not Regulated)

Terpenes Total (Q3) <b>Not Tested</b>	Molsture Analysis (Q3) <b>Not Tested</b>	Water Activity (Q3) <b>Not Tested</b>
Filth & Foreign (Q3) <b>Not Tested</b>	Homogeneity (Q3) <b>Not Tested</b>	Additional Microbial Contaminants (Q3) <b>Not Tested</b>

<b>87.998%</b> Total THC
<b>0.330%</b> Total CBD
<b>0.622%</b> CBN
<b>2.805%</b> CBG
<b>92.837%</b> Total Cannabinoids (Q3)

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 02/28/2024  
 SOP: 418.AZ  
 Batch Number: 979

**Sample Analysis**

Date: 02/29/2024  
 SOP: 417.AZ - HPLC  
 Sample Weight: 0.041 g  
 Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	DIL.	Actual % (w/w)	mg/g	Qualifier
CBC	0.314	0.953	1	ND	ND	
CBD	0.314	0.953	1	0.330	3.299	
CBDA	0.314	0.953	1	ND	ND	
CBDV	0.314	0.953	1	ND	ND	
CBG	0.314	0.953	1	2.805	28.046	
CBGA	0.314	0.953	1	ND	ND	
CBN	0.314	0.953	1	0.622	6.224	
d8-THC	0.314	0.953	1	ND	ND	
d9-THC	0.314	0.953	1	87.998	879.975	
THCA	0.314	0.953	1	ND	ND	
THCV	0.314	0.953	1	1.083	10.827	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	87.998	879.975	
Total CBD	0.330	3.299	
Total Cannabinoids	92.837	928.371	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Microbial Analysis**  
 Pass

**Sample Prep**

Batch Date: 02/29/2024  
 SOP: 431.AZ  
 Batch Number: 982

**Sample Analysis**

Date: 03/01/2024  
 SOP: 431.AZ - TEMPO (MPN)  
 Sample Weight: 1.061 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 10 CFU/g	Pass	

**Sample Prep**

Batch Date: 02/29/2024  
 SOP: 406.AZ  
 Batch Number: 981

**Sample Analysis**

Date: 03/01/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

**Sample Prep**

Batch Date: 02/29/2024  
 SOP: 406.AZ  
 Batch Number: 981

**Sample Analysis**

Date: 03/01/2024  
 SOP: 406.AZ - qPCR (MG)  
 Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

### Residual Solvents

HS-GC-MS **Pass**

### Sample Prep

Batch Date: 02/29/2024  
 SOP: 405.AZ  
 Batch Number: 980

### Sample Analysis

Date: 03/01/2024  
 SOP: 405.AZ - HS-GC-MS  
 Sample Weight: 0.050 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	66 / 200	1	1000	ND		Heptane	334 / 1000	1	5000	ND	
Acetonitrile	28 / 82	1	410	ND		Hexanes	48 / 145	1	290	ND	
Benzene	0.14 / 0.40	1	2	ND		Isopropyl acetate	334 / 1000	1	5000	ND	
Butanes	166 / 500	1	5000	ND		Methanol	200 / 600	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	334 / 1000	1	5000	ND	
Dichloromethane	40 / 120	1	600	ND		2-Propanol (IPA)	334 / 1000	1	5000	ND	
Ethanol	334 / 1000	1	5000	ND		Toluene	60 / 178	1	890	ND	
Ethyl acetate	334 / 1000	1	5000	ND		Xylenes	290 / 868	1	2170	ND	
Ethyl ether	334 / 1000	1	5000	ND							

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Heavy Metals**

ICP-MS **Pass**

**Sample Prep**  
 Batch Date: 03/01/2024  
 SOP: 428.AZ  
 Batch Number: 991

**Sample Analysis**  
 Date: 03/01/2024  
 SOP: 428.AZ - ICP-MS  
 Sample Weight: 0.203 g  
 Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	DIL.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.020	0.197	10	0.4	ND	
Cadmium	0.020	0.197	10	0.4	ND	
Lead	0.020	0.493	10	1	ND	
Mercury	0.020	0.098	10	0.2	ND	

**Mycotoxin Analysis**

LC-MS/MS **Pass**

**Sample Prep**  
 Batch Date: 02/28/2024  
 SOP: 432.AZ  
 Batch Number: 976

**Sample Analysis**  
 Date: 02/29/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.549 g  
 Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	DIL.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.64	0.76	1	20	ND	
Aflatoxin B1	3.64	9.11	1		ND	
Aflatoxin B2	3.64	9.11	1		ND	
Aflatoxin G1	3.64	9.11	1		ND	
Aflatoxin G2	3.64	4.55	1		ND	I1
Ochratoxin A	9.11	9.11	1	20	ND	I1, M2

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 02/28/2024  
 SOP: 432.AZ  
 Batch Number: 976

**Sample Analysis**

Date: 02/29/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.549 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.228	1	0.5	ND	M2	Hexythiazox	0.152 / 0.455	1	1	ND	
Acaphate	0.061 / 0.182	1	0.4	ND		Imazail	0.030 / 0.091	1	0.2	ND	M2
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.182	1	0.4	ND	
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	
Axoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND		Metazalyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	
Boscalid	0.061 / 0.182	1	0.4	ND		Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.228	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	H	Oxaryl	0.152 / 0.455	1	1	ND	
Chlorfenapyr	0.152 / 0.455	1	1	ND	H, V1	Paclobutraol	0.061 / 0.182	1	0.4	0.215	
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	M2
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.152 / 0.455	1	1	ND	M2	Piperonyl Butoxide	0.303 / 0.911	1	2	ND	
Cypermethrin	0.152 / 0.455	1	1	ND	H, M2	Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.152 / 0.455	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.046	1	0.1	ND		Pyrethrins	0.127 / 0.382	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.182	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.182	1	0.4	ND	
Fenpyroximate	0.061 / 0.182	1	0.4	ND		Tebuconazole	0.061 / 0.182	1	0.4	ND	
Fipronil	0.061 / 0.182	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.152 / 0.455	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	M2

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>




Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Notes:**



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Forever 46 LLC  
 221 E 6th St.  
 3775 E 34th St.  
 Tucson, AZ 85713  
 License #: 00000057DCHF00477864  
 Sample ID: 2402SMAZ0291.0917  
 Batch #: 240227-001



**CERTIFICATE OF ANALYSIS**  
 License #: 00000020LCVT89602592

Certificate: 4579

**Pesticides, Fungicides, and  
 Growth Regulators**  
 LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 02/28/2024  
 SOP: 432.AZ  
 Batch Number: 976

**Sample Analysis**

Date: 02/29/2024  
 SOP: 424.AZ - LC-MS/MS  
 Sample Weight: 0.549 g  
 Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.076 / 0.228	1	0.5	ND	M2	Hexythiazox	0.152 / 0.455	1	1	ND	
Acephate	0.061 / 0.182	1	0.4	ND		Imazail	0.030 / 0.091	1	0.2	ND	M2
Acetamiprid	0.030 / 0.091	1	0.2	ND		Imidacloprid	0.061 / 0.182	1	0.4	ND	
Aldicarb	0.061 / 0.182	1	0.4	ND		Kresoxim-methyl	0.061 / 0.182	1	0.4	ND	
Axoxystrobin	0.030 / 0.091	1	0.2	ND		Malathion	0.030 / 0.091	1	0.2	ND	
Bifenazate	0.030 / 0.091	1	0.2	ND		Metazalyl	0.030 / 0.091	1	0.2	ND	
Bifenthrin	0.030 / 0.091	1	0.2	ND		Methiocarb	0.030 / 0.091	1	0.2	ND	
Boscalid	0.061 / 0.182	1	0.4	ND		Methomyl	0.061 / 0.182	1	0.4	ND	
Carbaryl	0.030 / 0.091	1	0.2	ND		Myclobutanil	0.030 / 0.091	1	0.2	ND	
Carbofuran	0.030 / 0.091	1	0.2	ND		Naled	0.076 / 0.228	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.091	1	0.2	ND	H	Oxamyl	0.152 / 0.455	1	1	ND	
Chlorfenapyr	0.152 / 0.455	1	1	ND	H, V1	Paclobutrazol	0.061 / 0.182	1	0.4	0.215	
Chlorpyrifos	0.030 / 0.091	1	0.2	ND		Permethrins	0.030 / 0.091	1	0.2	ND	M2
Clofentezine	0.030 / 0.091	1	0.2	ND		Phosmet	0.030 / 0.091	1	0.2	ND	
Cyfluthrin	0.152 / 0.455	1	1	ND	M2	Piperonyl Butoxide	0.303 / 0.911	1	2	ND	
Cypermethrin	0.152 / 0.455	1	1	ND	H, M2	Prallethrin	0.030 / 0.091	1	0.2	ND	
Daminozide	0.152 / 0.455	1	1	ND		Propiconazole	0.061 / 0.182	1	0.4	ND	
Diazinon	0.030 / 0.091	1	0.2	ND		Propoxur	0.030 / 0.091	1	0.2	ND	
Dichlorvos	0.015 / 0.046	1	0.1	ND		Pyrethrins	0.127 / 0.382	1	1	ND	
Dimethoate	0.030 / 0.091	1	0.2	ND		Pyridaben	0.030 / 0.091	1	0.2	ND	
Ethoprophos	0.030 / 0.091	1	0.2	ND		Spinosad	0.030 / 0.091	1	0.2	ND	
Etofenprox	0.061 / 0.182	1	0.4	ND		Spiromesifen	0.030 / 0.091	1	0.2	ND	
Etoazole	0.030 / 0.091	1	0.2	ND		Spirotetramat	0.030 / 0.091	1	0.2	ND	
Fenoxycarb	0.030 / 0.091	1	0.2	ND		Spiroxamine	0.061 / 0.182	1	0.4	ND	
Fenpyroximate	0.061 / 0.182	1	0.4	ND		Tebuconazole	0.061 / 0.182	1	0.4	ND	
Fipronil	0.061 / 0.182	1	0.4	ND		Thiacloprid	0.030 / 0.091	1	0.2	ND	
Fonicamid	0.152 / 0.455	1	1	ND		Thiamethoxam	0.030 / 0.091	1	0.2	ND	
Fludioxonil	0.061 / 0.182	1	0.4	ND		Trifloxystrobin	0.030 / 0.091	1	0.2	ND	M2

Ahmed Munshi  
 Technical Laboratory Director

Smithers CTS Arizona LLC  
 734 W Highland Avenue, 2nd Floor  
 Phoenix, AZ 85013  
 (602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>