

| Final Product Information           |   |
|-------------------------------------|---|
| Product Form                        | Edible  |
| Strain                              | Sativa  |
| Batch Number                        | AZ APL B122   |
| Harvest Date                        | 1/17/2025   |
| Date of Manufacture                 | 07/15/25  |
| Flower Information                  |   |
| Strain                              | Baby Jokerz, Banana Cream Pop #17, Egg Roll, Egg Roll, Gary Payton, Glueball, Glueball, RTZ, White RTZ, White RTZ X Apple Tartz, White RTZ X Apple Tartz, White Truffle |
| Batch Number                        | 3924BBJZ.31, 3724BP17.41, 2724EGRO.34, 2524EGRO.33, 3924GAPA.31, 4124GLBL.33, 3524GLBL.42, 3724RNTZ.41, 2924WHRZ.32, 2924WRAT.32, 2924WRAT.32, 2924WHTR.32              |
| Harvest Date(s)                     | 12/31/24, 12/20/24, 10/14/24, 9/24/24, 1/2/2025, 1/17/25, 11/27/24, 12/18/24, 10/24/24, 10/17/24, 10/17/24, 10/17/24  |
| Cultivated By                       | Kannaboost Technology, Inc. DBA: Sol Flower Tempe University<br>00000118DCKD00426097  |
| Concentrate Information             |   |
| Type(s)                             | THC Distillate  |
| Strain(s)                           | Hybrid Blend  |
| Batch Number(s)                     | 250312-001  |
| Extraction Type(s)                  | Alcohol   |
| Manufactured By                     | Forever 46 LLC (Downtown Processing) 00000057DCHF00477864   |
| Finished Product Distribution Chain |   |
| Manufactured/Cultivated by          | Forever 46 LLC 00000116DCJL00597353   |
| Packaged By                         | Forever 46 LLC 00000116DCJL00597353   |
| Marijuana Establishment Name        | Forever 46 LLC 00000116DCJL00597353   |



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

## CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 15004

### WYLD Sour Apple 100mg THC

Batch #: AZ APL B122

Strain: Sativa

Parent Batch #: 250312-001

Production Method: Coconut Oil

Harvest Date: 01/17/2025

Received: 07/17/2025

Sample ID: 2507SMAZ1174.3486


Amount Received: 40 g

Sample Type: Soft Chew

Sample Collected: 07/17/2025 11:54:00

Manufacture Date: 07/15/2025

Published: 07/22/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

Cannabinoid Profile (Q3)

**Tested**

Microbial Contaminants

**Pass**

Residual Solvents

**Pass**

Pesticides, Fungicides,  
and Growth Regulators

**Pass**

Mycotoxins

**Pass**

Heavy Metals

**Pass**

10.336 mg/serving  
103.360 mg/container  
Total THC

ND mg/serving  
ND mg/container  
Total CBD

### Additional Analytes (Not Regulated)

Terpenes Total (Q3)

**Not Tested**

Moisture Analysis (Q3)

**Not Tested**

Water Activity (Q3)

**Not Tested**

0.060 mg/serving  
0.600 mg/container  
CBN

Filth & Foreign (Q3)

**Not Tested**

Homogeneity (Q3)

**Not Tested**

Additional Microbial  
Contaminants (Q3)

**Not Tested**

0.240 mg/serving  
2.400 mg/container  
CBG

10.712 mg/serving  
107.120 mg/container  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 07/17/2025  
SOP: 418.AZ  
Batch Number: 3716  
Test ID: 82184

**Sample Analysis**

Date: 07/17/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 1.080 g  
Volume: 10 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g  | mg/serving | mg/package | Qualifier |
|---------|------------|------------|------|----------------|-------|------------|------------|-----------|
| CBC     | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| CBD     | 0.003      | 0.009      | 1    | <LOQ           | <LOQ  | <LOQ       | <LOQ       |           |
| CBDA    | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| CBDV    | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| CBG     | 0.003      | 0.009      | 1    | 0.006          | 0.060 | 0.240      | 2.400      |           |
| CBGA    | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| CBN     | 0.003      | 0.009      | 1    | 0.002          | 0.015 | 0.060      | 0.600      |           |
| d8-THC  | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| d9-THC  | 0.003      | 0.009      | 1    | 0.258          | 2.584 | 10.336     | 103.360    |           |
| THCA    | 0.003      | 0.009      | 1    | ND             | ND    | ND         | ND         |           |
| THCV    | 0.003      | 0.009      | 1    | 0.002          | 0.019 | 0.076      | 0.760      |           |

| Cannabinoid Totals | Actual % (w/w) | mg/g  | mg/serving | mg/package | Qualifier |
|--------------------|----------------|-------|------------|------------|-----------|
| Total THC          | 0.258          | 2.584 | 10.336     | 103.360    |           |
| Total CBD          | ND             | ND    | ND         | ND         |           |
| Total Cannabinoids | 0.268          | 2.678 | 10.712     | 107.120    | Q3        |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation  
Serving Weight: 4 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

**Microbial Analysis**

**Pass**

**Sample Prep**

Batch Date: 07/21/2025  
SOP: 412.AZ  
Batch Number: 3726  
Test ID: 82200

**Sample Analysis**

Date: 07/22/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.031 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 10 CFU/g         | < 10 CFU/g    | Pass      |           |

**Sample Prep**

Batch Date: 07/21/2025  
SOP: 406.AZ  
Batch Number: 3724  
Test ID: 82201

**Sample Analysis**

Date: 07/22/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.007 g

| Analyte    | Allowable Criteria       | Actual Result            | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 07/18/2025  
SOP: 405.AZ  
Batch Number: 3719  
Test ID: 82185

**Sample Analysis**

Date: 07/18/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.0501 g

| Analyte         | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte           | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone         | 66 / 200        | 1    | 1000               | ND            |           | Heptane           | 333 / 998       | 1    | 5000               | ND            |           |
| Acetonitrile    | 28 / 82         | 1    | 410                | ND            |           | Hexanes           | 48 / 145        | 1    | 290                | ND            |           |
| Benzene         | 0.14 / 0.40     | 1    | 2                  | ND            |           | Isopropyl acetate | 333 / 998       | 1    | 5000               | ND            |           |
| Butanes         | 166 / 499       | 1    | 5000               | ND            |           | Methanol          | 200 / 599       | 1    | 3000               | ND            |           |
| Chloroform      | 4 / 12          | 1    | 60                 | ND            |           | Pentanes          | 333 / 998       | 1    | 5000               | ND            |           |
| Dichloromethane | 40 / 120        | 1    | 600                | ND            |           | 2-Propanol (IPA)  | 333 / 998       | 1    | 5000               | ND            |           |
| Ethanol         | 333 / 998       | 1    | 5000               | ND            |           | Toluene           | 60 / 178        | 1    | 890                | ND            |           |
| Ethyl acetate   | 333 / 998       | 1    | 5000               | ND            |           | Xylenes           | 289 / 866       | 1    | 2170               | ND            |           |
| Ethyl ether     | 333 / 998       | 1    | 5000               | ND            |           |                   |                 |      |                    |               |           |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 07/21/2025  
SOP: 428.AZ  
Batch Number: 3731  
Test ID: 82186

**Sample Analysis**

Date: 07/22/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.243 g  
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.052     | 0.174     | 10   | 0.4                | ND            |           |
| Cadmium | 0.052     | 0.174     | 10   | 0.4                | ND            |           |
| Lead    | 0.052     | 0.435     | 10   | 1                  | ND            |           |
| Mercury | 0.052     | 0.087     | 10   | 0.2                | ND            |           |

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 07/21/2025  
SOP: 432.AZ  
Batch Number: 3723  
Test ID: 82188

**Sample Analysis**


Date: 07/22/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.595 g  
Volume: 12.5 mL

| Analyte          | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.36      | 8.40      | 1    | 20                 | ND            |           |
| Aflatoxin B1     | 3.36      | 8.40      | 1    |                    | ND            | I1        |
| Aflatoxin B2     | 3.36      | 8.40      | 1    |                    | ND            | I1        |
| Aflatoxin G1     | 3.36      | 8.40      | 1    |                    | ND            | I1        |
| Aflatoxin G2     | 3.36      | 4.20      | 1    |                    | ND            | I1        |
| Ochratoxin A     | 8.40      | 8.40      | 1    | 20                 | ND            | I1, R1V1  |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 07/21/2025  
SOP: 432.AZ  
Batch Number: 3723  
Test ID: 82187

**Sample Analysis**

Date: 07/22/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.595 g  
Volume: 12.5 mL

| Analyte             | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte            | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a       | 0.070 / 0.210   | 1    | 0.5                | ND            |           | Hexythiazox        | 0.140 / 0.420   | 1    | 1                  | ND            |           |
| Acephate            | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Imazalil           | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Acetamiprid         | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Imidacloprid       | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Aldicarb            | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Kresoxim-methyl    | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Azoxystrobin        | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Malathion          | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Bifenazate          | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Metaxyl            | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Bifenthrin          | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Methiocarb         | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Boscalid            | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Methomyl           | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Carbaryl            | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Myclobutanil       | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Carbofuran          | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Naled              | 0.070 / 0.210   | 1    | 0.5                | ND            |           |
| Chlorantraniliprole | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Oxamyl             | 0.140 / 0.420   | 1    | 1                  | ND            |           |
| Chlorfenapyr        | 0.140 / 0.420   | 1    | 1                  | ND            | I1        | Paclobutrazol      | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Chlorpyrifos        | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Permethrins        | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Clofentezine        | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Phosmet            | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Cyfluthrin          | 0.140 / 0.420   | 1    | 1                  | ND            |           | Piperonyl Butoxide | 0.280 / 0.840   | 1    | 2                  | ND            | R1        |
| Cypermethrin        | 0.140 / 0.420   | 1    | 1                  | ND            |           | Prallethrin        | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Daminozide          | 0.140 / 0.420   | 1    | 1                  | ND            |           | Propiconazole      | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Diazinon            | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Propoxur           | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Dichlorvos          | 0.014 / 0.042   | 1    | 0.1                | ND            |           | Pyrethrins         | 0.117 / 0.352   | 1    | 1                  | ND            |           |
| Dimethoate          | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Pyridaben          | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Ethoprophos         | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Spinosad           | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Etofenprox          | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Spiromesifen       | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Etoxazole           | 0.028 / 0.084   | 1    | 0.2                | ND            | L1        | Spirotetramat      | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Fenoxycarb          | 0.028 / 0.084   | 1    | 0.2                | ND            |           | Spiroxamine        | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Fenpyroximate       | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Tebuconazole       | 0.056 / 0.168   | 1    | 0.4                | ND            |           |
| Fipronil            | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Thiacloprid        | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Fonicamid           | 0.140 / 0.420   | 1    | 1                  | ND            |           | Thiamethoxam       | 0.028 / 0.084   | 1    | 0.2                | ND            |           |
| Fludioxonil         | 0.056 / 0.168   | 1    | 0.4                | ND            |           | Trifloxystrobin    | 0.028 / 0.084   | 1    | 0.2                | ND            | L1        |

Ahmed Munshi

Technical Laboratory Director

*Ahmed Munshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 15004

### Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





**Northwest Confections Arizona**  
7139 E 22nd St  
Tucson, AZ 85710  
License #: 00000116DCJL00597353  
Sample ID: 2507SMAZ1174.3486  
Batch #: AZ APL B122



**SMITHERS**

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 15004

**Notes:** Standard Compliance



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.  
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS


**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

## iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 250312-001  
Strain: Hybrid Blend  
Parent Batch #:  
Production Method: Alcohol  
Harvest Date: 01/17/2025  
Received: 03/13/2025

Sample ID: 2503SMAZ0337.1019  
Amount Received: 11.6 g  
Sample Type: Distillate  
Sample Collected: 03/13/2025 11:23:00  
Manufacture Date:  
Published: 03/18/2025



## COMPLIANCE FOR RETAIL

### Regulated Analytes

|   |                                       |                                  |
|---|---------------------------------------|----------------------------------|
| Cannabinoid Profile (Q3)<br><b>Tested</b>                       | Microbial Contaminants<br><b>Pass</b> | Residual Solvents<br><b>Pass</b> |
| Pesticides, Fungicides,<br>and Growth Regulators<br><b>Pass</b> | Mycotoxins<br><b>Pass</b>             | Heavy Metals<br><b>Pass</b>      |

### Additional Analytes (Not Regulated)

|   |   |  |
|---|---|--|
| Terpenes Total (Q3)<br><b>Not Tested</b>  | Moisture Analysis (Q3)<br><b>Not Tested</b> | Water Activity (Q3)<br><b>Not Tested</b>                       |
| Filth & Foreign (Q3)<br><b>Not Tested</b> | Homogeneity (Q3)<br><b>Not Tested</b>       | Additional Microbial<br>Contaminants (Q3)<br><b>Not Tested</b> |

**92.959%**  
Total THC

**0.244%**  
Total CBD

**0.237%**  
CBN

**1.726%**  
CBG

**96.038%**  
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

**Cannabinoid Profile**

HPLC

Tested

**Sample Prep**

Batch Date: 03/14/2025  
SOP: 418.AZ  
Batch Number: 2857

**Sample Analysis**

Date: 03/14/2025  
SOP: 417.AZ - HPLC  
Sample Weight: 0.040 g  
Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g    | Qualifier |
|---------|------------|------------|------|----------------|---------|-----------|
| CBC     | 0.322      | 0.977      | 1    | ND             | ND      |           |
| CBD     | 0.322      | 0.977      | 1    | 0.244          | 2.442   |           |
| CBDA    | 0.322      | 0.977      | 1    | ND             | ND      |           |
| CBDV    | 0.322      | 0.977      | 1    | ND             | ND      |           |
| CBG     | 0.322      | 0.977      | 1    | 1.726          | 17.264  |           |
| CBGA    | 0.322      | 0.977      | 1    | ND             | ND      |           |
| CBN     | 0.322      | 0.977      | 1    | 0.237          | 2.366   |           |
| d8-THC  | 0.322      | 0.977      | 1    | ND             | ND      |           |
| d9-THC  | 0.322      | 0.977      | 1    | 92.959         | 929.592 |           |
| THCA    | 0.322      | 0.977      | 1    | <LOQ           | <LOQ    |           |
| THCV    | 0.322      | 0.977      | 1    | 0.871          | 8.714   |           |

| Cannabinoid Totals | Actual % (w/w) | mg/g    | Qualifier |
|--------------------|----------------|---------|-----------|
| Total THC          | 92.959         | 929.592 |           |
| Total CBD          | 0.244          | 2.442   |           |
| Total Cannabinoids | 96.038         | 960.378 | Q3        |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)  
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

## Microbial Analysis

Pass

### Sample Prep

Batch Date: 03/17/2025  
SOP: 412.AZ  
Batch Number: 2861

### Sample Analysis

Date: 03/18/2025  
SOP: 412.AZ - 3M Petrifilm  
Sample Weight: 1.056 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g        | < 100 CFU/g   | Pass      |           |

### Sample Prep

Batch Date: 03/17/2025  
SOP: 406.AZ  
Batch Number: 2860

### Sample Analysis

Date: 03/18/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.000 g

| Analyte    | Allowable Criteria       | Actual Result            | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |

### Sample Prep

Batch Date: 03/17/2025  
SOP: 406.AZ  
Batch Number: 2860

### Sample Analysis

Date: 03/18/2025  
SOP: 406.AZ - qPCR (MG)  
Sample Weight: 1.000 g

| Analyte               | Allowable Criteria       | Actual Result            | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus    | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus niger     | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |
| Aspergillus terreus   | Not Detected in One Gram | Not Detected in One Gram | Pass      |           |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

**Residual Solvents**

HS-GC-MS

Pass

**Sample Prep**

Batch Date: 03/13/2025  
SOP: 405.AZ  
Batch Number: 2851

**Sample Analysis**

Date: 03/14/2025  
SOP: 405.AZ - HS-GC-MS  
Sample Weight: 0.054 g

| Analyte         | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte           | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone         | 61 / 185        | 1    | 1000               | ND            |           | Heptane           | 309 / 926       | 1    | 5000               | ND            |           |
| Acetonitrile    | 26 / 76         | 1    | 410                | ND            |           | Hexanes           | 44 / 134        | 1    | 290                | ND            |           |
| Benzene         | 0.13 / 0.37     | 1    | 2                  | ND            |           | Isopropyl acetate | 309 / 926       | 1    | 5000               | ND            |           |
| Butanes         | 154 / 463       | 1    | 5000               | ND            |           | Methanol          | 185 / 556       | 1    | 3000               | ND            |           |
| Chloroform      | 4 / 11          | 1    | 60                 | ND            |           | Pentanes          | 309 / 926       | 1    | 5000               | ND            |           |
| Dichloromethane | 37 / 111        | 1    | 600                | ND            |           | 2-Propanol (IPA)  | 309 / 926       | 1    | 5000               | ND            |           |
| Ethanol         | 309 / 926       | 1    | 5000               | ND            |           | Toluene           | 56 / 165        | 1    | 890                | ND            |           |
| Ethyl acetate   | 309 / 926       | 1    | 5000               | ND            |           | Xylenes           | 269 / 804       | 1    | 2170               | ND            |           |
| Ethyl ether     | 309 / 926       | 1    | 5000               | ND            |           |                   |                 |      |                    |               |           |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

**Heavy Metals**

ICP-MS

Pass

**Sample Prep**

Batch Date: 03/18/2025  
SOP: 428.AZ  
Batch Number: 2870

**Sample Analysis**

Date: 03/18/2025  
SOP: 428.AZ - ICP-MS  
Sample Weight: 0.224 g  
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.054     | 0.179     | 10   | 0.4                | ND            |           |
| Cadmium | 0.054     | 0.179     | 10   | 0.4                | ND            |           |
| Lead    | 0.054     | 0.447     | 10   | 1                  | ND            |           |
| Mercury | 0.054     | 0.089     | 10   | 0.2                | ND            |           |

**Mycotoxin Analysis**

LC-MS/MS

Pass

**Sample Prep**

Batch Date: 03/17/2025  
SOP: 432.AZ  
Batch Number: 2862

**Sample Analysis**

Date: 03/17/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.513 g  
Volume: 12.5 mL

| Analyte          | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.90      | 9.75      | 1    | 20                 | ND            |           |
| Aflatoxin B1     | 3.90      | 9.75      | 1    |                    | ND            |           |
| Aflatoxin B2     | 3.90      | 9.75      | 1    |                    | ND            |           |
| Aflatoxin G1     | 3.90      | 9.75      | 1    |                    | ND            |           |
| Aflatoxin G2     | 3.90      | 4.87      | 1    |                    | ND            |           |
| Ochratoxin A     | 9.75      | 9.75      | 1    | 20                 | ND            | I1 V1, R1 |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC  
734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

**Pesticides, Fungicides, and  
Growth Regulators**  
LC-MS/MS **Pass**

**Sample Prep**

Batch Date: 03/17/2025  
SOP: 432.AZ  
Batch Number: 2862

**Sample Analysis**

Date: 03/17/2025  
SOP: 424.AZ - LC-MS/MS  
Sample Weight: 0.513 g  
Volume: 12.5 mL

| Analyte             | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte            | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a       | 0.081 / 0.244   | 1    | 0.5                | ND            |           | Hexythiazox        | 0.163 / 0.487   | 1    | 1                  | ND            |           |
| Acephate            | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Imazalil           | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Acetamiprid         | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Imidacloprid       | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Aldicarb            | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Kresoxim-methyl    | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Azoxystrobin        | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Malathion          | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Bifenazate          | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Metaxyl            | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Bifenthrin          | 0.032 / 0.097   | 1    | 0.2                | ND            | R1        | Methiocarb         | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Boscalid            | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Methomyl           | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Carbaryl            | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Myclobutanil       | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Carbofuran          | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Naled              | 0.081 / 0.244   | 1    | 0.5                | ND            |           |
| Chlorantraniliprole | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Oxamyl             | 0.163 / 0.487   | 1    | 1                  | ND            |           |
| Chlorfenapyr        | 0.163 / 0.487   | 1    | 1                  | ND            | V1        | Paclobutrazol      | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Chlorpyrifos        | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Permethrins        | 0.032 / 0.097   | 1    | 0.2                | ND            | R1 V1     |
| Clofentezine        | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Phosmet            | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Cyfluthrin          | 0.163 / 0.487   | 1    | 1                  | ND            |           | Piperonyl Butoxide | 0.325 / 0.975   | 1    | 2                  | ND            |           |
| Cypermethrin        | 0.163 / 0.487   | 1    | 1                  | ND            |           | Prallethrin        | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Daminozide          | 0.163 / 0.487   | 1    | 1                  | ND            |           | Propiconazole      | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Diazinon            | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Propoxur           | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Dichlorvos          | 0.017 / 0.049   | 1    | 0.1                | ND            |           | Pyrethrins         | 0.136 / 0.408   | 1    | 1                  | ND            |           |
| Dimethoate          | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Pyridaben          | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Ethoprophos         | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Spinosad           | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Etofenprox          | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Spiromesifen       | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Etoxazole           | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Spirotetramat      | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Fenoxycarb          | 0.032 / 0.097   | 1    | 0.2                | ND            |           | Spiroxamine        | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Fenpyroximate       | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Tebuconazole       | 0.065 / 0.195   | 1    | 0.4                | ND            |           |
| Fipronil            | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Thiacloprid        | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Fonicamid           | 0.163 / 0.487   | 1    | 1                  | ND            |           | Thiamethoxam       | 0.032 / 0.097   | 1    | 0.2                | ND            |           |
| Fludioxonil         | 0.065 / 0.195   | 1    | 0.4                | ND            |           | Trifloxystrobin    | 0.032 / 0.097   | 1    | 0.2                | ND            |           |

Ahmed Munshi

Technical Laboratory Director

*Ahmed Munshi*

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**  
License #: 00000020LCVT89602592

Certificate: 11457

## Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

**Cultivated By:**

**Manufactured By:**

**Disclaimer:** Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>





Forever 46 LLC  
221 E 6th St.  
3775 E 34th St.  
Tucson, AZ 85713  
License #: 00000057DCHF00477864  
Sample ID: 2503SMAZ0337.1019  
Batch #: 250312-001



SMITHERS

**CERTIFICATE OF ANALYSIS**

License #: 00000020LCVT89602592

Certificate: 11457

**Notes:** Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC



**Ahmed Munshi**

Technical Laboratory Director

**Smithers CTS Arizona LLC**

734 W Highland Avenue, 2nd Floor  
Phoenix, AZ 85013  
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>