

| Final Product Information | |
|-------------------------------------|---|
| Product Form | Edible |
| Strain | Sativa |
| Batch Number | AZ POG B104 |
| Harvest Date | 9/4/2024 |
| Date of Manufacture | 04/14/25 |
| Flower Information | |
| Strain | Grease Monkey, Devil Driver, El Chivo #5, Fatso, First Class Funk, Grease Monkey, RTZ, Zmintz, Banana Cream Pop #17, Gello, Cali Lightning |
| Batch Number | 1124GMY.34, 1424DVDR.32, 1124ELCH.34, 0724FTSO.31, 0924FCFK.33, 0724GMY.31, 1124RNTZ.34, 1124ZMNTZ.34, 0924BP17.33, Gell-230717.0001-W29, CLT-231116.0001-W46 |
| Harvest Date(s) | 6/20/24, 9/24/24, 9/24/24, 9/24/24, 6/12/24, 5/30/24, 9/24/24, 9/24/24, 8/14/23, 11/16/23 |
| Cultivated By | Holistic Patient Wellness Group dba Sol Flower Tempe McClintock - 00000019DCGM00234427, Forever 46, LLC 00000057DCHF00477864 |
| Concentrate Information | |
| Type(s) | THC Distillate |
| Strain(s) | Hybrid Blend |
| Batch Number(s) | 241114-006CS |
| Extraction Type(s) | Alcohol |
| Manufactured By | Forever 46 LLC (Downtown Processing) 00000057DCHF00477864 |
| Finished Product Distribution Chain | |
| Manufactured/Cultivated by | Forever 46 LLC 00000116DCJL00597353 |
| Packaged By | Forever 46 LLC 00000116DCJL00597353 |
| Marijuana Establishment Name | Forever 46 LLC 00000116DCJL00597353 |



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12372

Wyld One Passion Fruit Orange Guava 100mg THC 100 CBG

Batch #: AZ POG B104

Strain: Sativa

Parent Batch #: 241114-006CS

Production Method: Coconut Oil

Harvest Date: 09/04/2024

Received: 04/16/2025

Sample ID: 2504SMAZ0547.1618


Amount Received: 42.1 g

Sample Type: Soft Chew

Sample Collected: 04/16/2025 11:54:00

Manufacture Date: 04/14/2025

Published: 04/18/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

11.103 mg/serving
111.027 mg/container
Total THC

ND
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

0.080 mg/serving
0.798 mg/container
CBN

11.271 mg/serving
112.707 mg/container
CBG


22.531 mg/serving
225.309 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12372

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 04/16/2025
SOP: 418.AZ
Batch Number: 3078
Test ID: 61471

Sample Analysis

Date: 04/17/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.021 g
Volume: 10 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|---------|------------|------------|------|----------------|-------|------------|------------|-----------|
| CBC | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| CBD | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| CBDA | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| CBDV | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| CBG | 0.006 | 0.019 | 2 | 0.537 | 5.367 | 11.271 | 112.707 | |
| CBGA | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| CBN | 0.006 | 0.019 | 2 | 0.004 | 0.038 | 0.080 | 0.798 | |
| d8-THC | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| d9-THC | 0.006 | 0.019 | 2 | 0.529 | 5.287 | 11.103 | 111.027 | |
| THCA | 0.006 | 0.019 | 2 | ND | ND | ND | ND | |
| THCV | 0.006 | 0.019 | 2 | 0.004 | 0.037 | 0.078 | 0.777 | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | mg/serving | mg/package | Qualifier |
|--------------------|----------------|--------|------------|------------|-----------|
| Total THC | 0.529 | 5.287 | 11.103 | 111.027 | |
| Total CBD | ND | ND | ND | ND | |
| Total Cannabinoids | 1.073 | 10.729 | 22.531 | 225.309 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 2.1 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12372

Microbial Analysis

Pass

Sample Prep

Batch Date: 04/17/2025
SOP: 412.AZ
Batch Number: 3082
Test ID: 61492

Sample Analysis

Date: 04/18/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.013 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 10 CFU/g | < 10 CFU/g | Pass | |

Sample Prep

Batch Date: 04/17/2025
SOP: 406.AZ
Batch Number: 3080
Test ID: 61494

Sample Analysis

Date: 04/18/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.015 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12372

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 04/17/2025
SOP: 405.AZ
Batch Number: 3079
Test ID: 61472

Sample Analysis

Date: 04/17/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.051 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 65 / 196 | 1 | 1000 | ND | | Heptane | 327 / 980 | 1 | 5000 | ND | |
| Acetonitrile | 27 / 80 | 1 | 410 | ND | | Hexanes | 47 / 142 | 1 | 290 | ND | |
| Benzene | 0.14 / 0.39 | 1 | 2 | ND | | Isopropyl acetate | 327 / 980 | 1 | 5000 | ND | |
| Butanes | 163 / 490 | 1 | 5000 | ND | | Methanol | 196 / 588 | 1 | 3000 | ND | |
| Chloroform | 4 / 12 | 1 | 60 | ND | | Pentanes | 327 / 980 | 1 | 5000 | ND | |
| Dichloromethane | 39 / 118 | 1 | 600 | ND | | 2-Propanol (IPA) | 327 / 980 | 1 | 5000 | ND | |
| Ethanol | 327 / 980 | 1 | 5000 | ND | | Toluene | 59 / 175 | 1 | 890 | ND | |
| Ethyl acetate | 327 / 980 | 1 | 5000 | ND | | Xylenes | 284 / 851 | 1 | 2170 | ND | |
| Ethyl ether | 327 / 980 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12372

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 04/17/2025
SOP: 428.AZ
Batch Number: 3085
Test ID: 61473

Sample Analysis

Date: 04/18/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.232 g
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.052 | 0.172 | 10 | 0.4 | ND | |
| Cadmium | 0.052 | 0.172 | 10 | 0.4 | ND | |
| Lead | 0.052 | 0.431 | 10 | 1 | ND | |
| Mercury | 0.052 | 0.086 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 04/17/2025
SOP: 432.AZ
Batch Number: 3086
Test ID: 61475

Sample Analysis


Date: 04/18/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.578 g
Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.46 | 8.65 | 1 | 20 | ND | |
| Aflatoxin B1 | 3.46 | 8.65 | 1 | | ND | |
| Aflatoxin B2 | 3.46 | 8.65 | 1 | | ND | |
| Aflatoxin G1 | 3.46 | 8.65 | 1 | | ND | I1 |
| Aflatoxin G2 | 3.46 | 4.33 | 1 | | ND | |
| Ochratoxin A | 8.65 | 8.65 | 1 | 20 | ND | I1, R1V1 |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12372

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

Sample Prep

Batch Date: 04/17/2025
SOP: 432.AZ
Batch Number: 3086
Test ID: 61474

Sample Analysis

Date: 04/18/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.578 g
Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.072 / 0.216 | 1 | 0.5 | ND | | Hexythiazox | 0.144 / 0.433 | 1 | 1 | ND | |
| Acephate | 0.058 / 0.173 | 1 | 0.4 | ND | | Imazalil | 0.029 / 0.087 | 1 | 0.2 | ND | I1 |
| Acetamiprid | 0.029 / 0.087 | 1 | 0.2 | ND | | Imidacloprid | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Aldicarb | 0.058 / 0.173 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.029 / 0.087 | 1 | 0.2 | ND | | Malathion | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Bifenazate | 0.029 / 0.087 | 1 | 0.2 | ND | | Metaxyl | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Bifenthrin | 0.029 / 0.087 | 1 | 0.2 | ND | | Methiocarb | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Boscalid | 0.058 / 0.173 | 1 | 0.4 | ND | | Methomyl | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Carbaryl | 0.029 / 0.087 | 1 | 0.2 | ND | | Myclobutanil | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Carbofuran | 0.029 / 0.087 | 1 | 0.2 | ND | | Naled | 0.072 / 0.216 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.029 / 0.087 | 1 | 0.2 | ND | | Oxamyl | 0.144 / 0.433 | 1 | 1 | ND | |
| Chlorfenapyr | 0.144 / 0.433 | 1 | 1 | ND | I1, V1 | Paclobutrazol | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Chlorpyrifos | 0.029 / 0.087 | 1 | 0.2 | ND | | Permethrins | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Clofentezine | 0.029 / 0.087 | 1 | 0.2 | ND | | Phosmet | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.144 / 0.433 | 1 | 1 | ND | | Piperonyl Butoxide | 0.288 / 0.865 | 1 | 2 | ND | |
| Cypermethrin | 0.144 / 0.433 | 1 | 1 | ND | | Prallethrin | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Daminozide | 0.144 / 0.433 | 1 | 1 | ND | | Propiconazole | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Diazinon | 0.029 / 0.087 | 1 | 0.2 | ND | | Propoxur | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Dichlorvos | 0.015 / 0.043 | 1 | 0.1 | ND | | Pyrethrins | 0.121 / 0.362 | 1 | 1 | ND | |
| Dimethoate | 0.029 / 0.087 | 1 | 0.2 | ND | | Pyridaben | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Ethoprophos | 0.029 / 0.087 | 1 | 0.2 | ND | | Spinosad | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Etofenprox | 0.058 / 0.173 | 1 | 0.4 | ND | | Spiromesifen | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Etoxazole | 0.029 / 0.087 | 1 | 0.2 | ND | | Spirotetramat | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Fenoxycarb | 0.029 / 0.087 | 1 | 0.2 | ND | | Spiroxamine | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.058 / 0.173 | 1 | 0.4 | ND | | Tebuconazole | 0.058 / 0.173 | 1 | 0.4 | ND | |
| Fipronil | 0.058 / 0.173 | 1 | 0.4 | ND | I1 | Thiacloprid | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Fonicamid | 0.144 / 0.433 | 1 | 1 | ND | | Thiamethoxam | 0.029 / 0.087 | 1 | 0.2 | ND | |
| Fludioxonil | 0.058 / 0.173 | 1 | 0.4 | ND | | Trifloxystrobin | 0.029 / 0.087 | 1 | 0.2 | ND | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 12372

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By: 00000057DCHF00477864

Manufactured By: 00000116DCJL00597353

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2504SMAZ0547.1618
Batch #: AZ POG B104



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 12372

Notes: Standard compliance



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 241114-006CS

Strain: Hybrid Blend

Parent Batch #:

Production Method: Alcohol

Harvest Date: 09/04/2024

Received: 11/20/2024

Sample ID: 2411SMAZ1460.4388

Amount Received: 13.8 g

Sample Type: Distillate

Sample Collected: 11/20/2024 09:18:00

Manufacture Date:

Published: 11/25/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

90.823%

Total THC

0.160%

Total CBD

0.731%

CBN

1.689%

CBG

93.725%

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor

Phoenix, AZ 85013

(602) 806-6930



Accreditation # 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/20/2024
SOP: 418.AZ
Batch Number: 2266

Sample Analysis

Date: 11/21/2024
SOP: 417.AZ - HPLC
Sample Weight: 0.0406 g
Volume: 40 mL

| Analyte | LOD (mg/g) | LOQ (mg/g) | Dil. | Actual % (w/w) | mg/g | Qualifier |
|---------|------------|------------|------|----------------|---------|-----------|
| CBC | 0.317 | 0.963 | 1 | ND | ND | |
| CBD | 0.317 | 0.963 | 1 | 0.160 | 1.604 | |
| CBDA | 0.317 | 0.963 | 1 | ND | ND | |
| CBDV | 0.317 | 0.963 | 1 | ND | ND | |
| CBG | 0.317 | 0.963 | 1 | 1.689 | 16.894 | |
| CBGA | 0.317 | 0.963 | 1 | ND | ND | |
| CBN | 0.317 | 0.963 | 1 | 0.731 | 7.308 | |
| d8-THC | 0.317 | 0.963 | 1 | ND | ND | |
| d9-THC | 0.317 | 0.963 | 1 | 90.823 | 908.235 | |
| THCA | 0.317 | 0.963 | 1 | ND | ND | |
| THCV | 0.317 | 0.963 | 1 | 0.320 | 3.204 | |

| Cannabinoid Totals | Actual % (w/w) | mg/g | Qualifier |
|--------------------|----------------|---------|-----------|
| Total THC | 90.823 | 908.235 | |
| Total CBD | 0.160 | 1.604 | |
| Total Cannabinoids | 93.725 | 937.245 | Q3 |

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/21/2024
SOP: 412.AZ
Batch Number: 2271

Sample Analysis

Date: 11/22/2024
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.007 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|---------|--------------------|---------------|-----------|-----------|
| E. coli | < 100 CFU/g | < 100 CFU/g | Pass | |

Sample Prep

Batch Date: 11/21/2024
SOP: 406.AZ
Batch Number: 2270

Sample Analysis

Date: 11/22/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.012 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|------------|--------------------------|--------------------------|-----------|-----------|
| Salmonella | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Sample Prep

Batch Date: 11/21/2024
SOP: 406.AZ
Batch Number: 2270

Sample Analysis

Date: 11/22/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.012 g

| Analyte | Allowable Criteria | Actual Result | Pass/Fail | Qualifier |
|-----------------------|--------------------------|--------------------------|-----------|-----------|
| Aspergillus flavus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus fumigatus | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus niger | Not Detected in One Gram | Not Detected in One Gram | Pass | |
| Aspergillus terreus | Not Detected in One Gram | Not Detected in One Gram | Pass | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/20/2024
SOP: 405.AZ
Batch Number: 2263

Sample Analysis

Date: 11/21/2024
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0547 g

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|-----------------|-----------------|------|--------------------|---------------|-----------|-------------------|-----------------|------|--------------------|---------------|-----------|
| Acetone | 60 / 183 | 1 | 1000 | ND | | Heptane | 305 / 914 | 1 | 5000 | ND | |
| Acetonitrile | 26 / 75 | 1 | 410 | ND | | Hexanes | 44 / 133 | 1 | 290 | ND | |
| Benzene | 0.13 / 0.37 | 1 | 2 | ND | | Isopropyl acetate | 305 / 914 | 1 | 5000 | ND | |
| Butanes | 152 / 457 | 1 | 5000 | ND | | Methanol | 183 / 548 | 1 | 3000 | ND | |
| Chloroform | 4 / 11 | 1 | 60 | ND | | Pentanes | 305 / 914 | 1 | 5000 | ND | |
| Dichloromethane | 37 / 110 | 1 | 600 | ND | | 2-Propanol (IPA) | 305 / 914 | 1 | 5000 | ND | |
| Ethanol | 305 / 914 | 1 | 5000 | ND | | Toluene | 55 / 163 | 1 | 890 | ND | |
| Ethyl acetate | 305 / 914 | 1 | 5000 | ND | | Xylenes | 265 / 793 | 1 | 2170 | ND | |
| Ethyl ether | 305 / 914 | 1 | 5000 | ND | | | | | | | |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/22/2024
SOP: 428.AZ
Batch Number: 2277

Sample Analysis

Date: 11/22/2024
SOP: 428.AZ - ICP-MS
Sample Weight: 0.213 g
Volume: 6 mL

| Analyte | LOD (ppm) | LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------|-----------|-----------|------|--------------------|---------------|-----------|
| Arsenic | 0.056 | 0.188 | 10 | 0.4 | ND | |
| Cadmium | 0.056 | 0.188 | 10 | 0.4 | ND | |
| Lead | 0.056 | 0.470 | 10 | 1 | ND | |
| Mercury | 0.056 | 0.094 | 10 | 0.2 | ND | |

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/21/2024
SOP: 432.AZ
Batch Number: 2274

Sample Analysis

Date: 11/22/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.559 g
Volume: 12.5 mL

| Analyte | LOD (ppb) | LOQ (ppb) | Dil. | Action Limit (ppb) | Results (ppb) | Qualifier |
|------------------|-----------|-----------|------|--------------------|---------------|-----------|
| Total Aflatoxins | 3.58 | 8.94 | 1 | 20 | ND | L1 M2 R1 |
| Aflatoxin B1 | 3.58 | 8.94 | 1 | | ND | |
| Aflatoxin B2 | 3.58 | 8.94 | 1 | | ND | I1, L1 M2 |
| Aflatoxin G1 | 3.58 | 8.94 | 1 | | ND | I1, R1 |
| Aflatoxin G2 | 3.58 | 4.47 | 1 | | ND | V1 |
| Ochratoxin A | 8.94 | 8.94 | 1 | 20 | ND | I1 |

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/21/2024
SOP: 432.AZ
Batch Number: 2274

Sample Analysis

Date: 11/22/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.559 g
Volume: 12.5 mL

| Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier | Analyte | LOD / LOQ (ppm) | Dil. | Action Limit (ppm) | Results (ppm) | Qualifier |
|---------------------|-----------------|------|--------------------|---------------|-----------|--------------------|-----------------|------|--------------------|---------------|-----------|
| Abamectin B1a | 0.074 / 0.224 | 1 | 0.5 | ND | I1 V1, M2 | Hexythiazox | 0.149 / 0.447 | 1 | 1 | ND | M2 |
| Acephate | 0.060 / 0.179 | 1 | 0.4 | ND | | Imazalil | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Acetamiprid | 0.030 / 0.089 | 1 | 0.2 | ND | | Imidacloprid | 0.060 / 0.179 | 1 | 0.4 | ND | |
| Aldicarb | 0.060 / 0.179 | 1 | 0.4 | ND | | Kresoxim-methyl | 0.060 / 0.179 | 1 | 0.4 | ND | |
| Azoxystrobin | 0.030 / 0.089 | 1 | 0.2 | ND | | Malathion | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Bifenazate | 0.030 / 0.089 | 1 | 0.2 | ND | M1 | Metalaxyl | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Bifenthrin | 0.030 / 0.089 | 1 | 0.2 | ND | M2 | Methiocarb | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Boscalid | 0.060 / 0.179 | 1 | 0.4 | ND | M2 | Methomyl | 0.060 / 0.179 | 1 | 0.4 | ND | |
| Carbaryl | 0.030 / 0.089 | 1 | 0.2 | ND | | Myclobutanil | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Carbofuran | 0.030 / 0.089 | 1 | 0.2 | ND | | Naled | 0.074 / 0.224 | 1 | 0.5 | ND | |
| Chlorantraniliprole | 0.030 / 0.089 | 1 | 0.2 | ND | | Oxaryl | 0.149 / 0.447 | 1 | 1 | ND | |
| Chlorfenapyr | 0.149 / 0.447 | 1 | 1 | ND | I1, M2 | Paclobutrazol | 0.060 / 0.179 | 1 | 0.4 | ND | V1 |
| Chlorpyrifos | 0.030 / 0.089 | 1 | 0.2 | ND | M2 | Permethrins | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Clofentezine | 0.030 / 0.089 | 1 | 0.2 | ND | M2 | Phosmet | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Cyfluthrin | 0.149 / 0.447 | 1 | 1 | ND | M2 | Piperonyl Butoxide | 0.298 / 0.894 | 1 | 2 | ND | |
| Cypermethrin | 0.149 / 0.447 | 1 | 1 | ND | M2 | Prallethrin | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Daminozide | 0.149 / 0.447 | 1 | 1 | ND | | Propiconazole | 0.060 / 0.179 | 1 | 0.4 | ND | M2 |
| Diazinon | 0.030 / 0.089 | 1 | 0.2 | ND | | Propoxur | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Dichlorvos | 0.015 / 0.045 | 1 | 0.1 | ND | M2 | Pyrethrins | 0.125 / 0.375 | 1 | 1 | ND | I1, M2 |
| Dimethoate | 0.030 / 0.089 | 1 | 0.2 | ND | | Pyridaben | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Ethoprophos | 0.030 / 0.089 | 1 | 0.2 | ND | | Spinosad | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Etofenprox | 0.060 / 0.179 | 1 | 0.4 | ND | M2 | Spiromesifen | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |
| Etoazole | 0.030 / 0.089 | 1 | 0.2 | ND | | Spirotetramat | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Fenoxycarb | 0.030 / 0.089 | 1 | 0.2 | ND | | Spiroxamine | 0.060 / 0.179 | 1 | 0.4 | ND | |
| Fenpyroximate | 0.060 / 0.179 | 1 | 0.4 | ND | M2 | Tebuconazole | 0.060 / 0.179 | 1 | 0.4 | ND | |
| Fipronil | 0.060 / 0.179 | 1 | 0.4 | ND | V1 | Thiacloprid | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Flonicamid | 0.149 / 0.447 | 1 | 1 | ND | | Thiamethoxam | 0.030 / 0.089 | 1 | 0.2 | ND | |
| Fludioxonil | 0.060 / 0.179 | 1 | 0.4 | ND | M2 | Trifloxystrobin | 0.030 / 0.089 | 1 | 0.2 | ND | M2 |

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation # 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Notes: Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>