

Final Product Information	
Product Form	Edible
Strain	Indica
Batch Number	AZ BLU B103
Harvest Date	9/4/2024
Date of Manufacture	03/20/25
Flower Information	
Strain	Grease Monkey, Devil Driver, El Chivo #5, Fatso, First Class Funk, Grease Monkey, RTZ, Zmintz, Banana Cream Pop #17, Gello, Cali Lightning
Batch Number	1124GMY.34, 1424DVDR.32, 1124ELCH.34, 0724FTSO.31, 0924FCFK.33, 0724GMY.31, 1124RNTZ.34, 1124ZMNTZ.34, 0924BP17.33, Gell-230717.0001-W29, CLT-231116.0001-W46
Harvest Date(s)	6/20/24, 9/24/24, 9/24/24, 9/24/24, 6/12/24, 5/30/24, 9/24/24, 9/24/24, 8/14/23, 11/16/23
Cultivated By	Holistic Patient Wellness Group dba Sol Flower Tempe McClintock - 00000019DCGM00234427, Forever 46, LLC 00000057DCHF00477864
Concentrate Information	
Type(s)	THC Distillate
Strain(s)	Hybrid Blend
Batch Number(s)	241114-006CS
Extraction Type(s)	Alcohol
Manufactured By	Forever 46 LLC (Downtown Processing) 00000057DCHF00477864
Finished Product Distribution Chain	
Manufactured/Cultivated by	Forever 46 LLC 00000116DCJL00597353
Packaged By	Forever 46 LLC 00000116DCJL00597353
Marijuana Establishment Name	Forever 46 LLC 00000116DCJL00597353



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11625

Wyld One Sour Blueberry 100mg THC 100mg CBN

Batch #: AZ BLU B103

Strain: Indica

Parent Batch #: 241114-006CS

Production Method: Coconut Oil

Harvest Date: 09/04/2024

Received: 03/21/2025

Sample ID: 2503SMAZ0385.1131


Amount Received: 39.2 g

Sample Type: Soft Chew

Sample Collected: 03/21/2025 12:03:00

Manufacture Date: 03/20/2025

Published: 03/26/2025



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

10.582 mg/serving
105.820 mg/container
Total THC

0.027 mg/serving
0.274 mg/container
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

10.364 mg/serving
103.645 mg/container
CBN

0.243 mg/serving
2.430 mg/container
CBG

21.291 mg/serving
212.915 mg/container
Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11625

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 03/24/2025
SOP: 418.AZ
Batch Number: 2908

Sample Analysis

Date: 03/24/2025
SOP: 417.AZ - HPLC
Sample Weight: 1.016 g
Volume: 10 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
CBC	0.003	0.010	1	ND	ND	ND	ND	
CBD	0.003	0.010	1	0.001	0.014	0.027	0.274	
CBDA	0.003	0.010	1	ND	ND	ND	ND	
CBDV	0.003	0.010	1	ND	ND	ND	ND	
CBG	0.003	0.010	1	0.012	0.124	0.243	2.430	
CBGA	0.003	0.010	1	ND	ND	ND	ND	
CBN	0.003	0.010	1	0.529	5.288	10.364	103.645	
d8-THC	0.003	0.010	1	ND	ND	ND	ND	
d9-THC	0.003	0.010	1	0.540	5.399	10.582	105.820	
THCA	0.003	0.010	1	<LOQ	<LOQ	<LOQ	<LOQ	
THCV	0.003	0.010	1	0.004	0.039	0.076	0.764	

Cannabinoid Totals	Actual % (w/w)	mg/g	mg/serving	mg/package	Qualifier
Total THC	0.540	5.399	10.582	105.820	
Total CBD	0.001	0.014	0.027	0.274	
Total Cannabinoids	1.086	10.863	21.291	212.915	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation
Serving Weight: 1.96 None; Servings/Package: 10

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11625

Microbial Analysis

Pass

Sample Prep

Batch Date: 03/24/2025
SOP: 412.AZ
Batch Number: 2904

Sample Analysis

Date: 03/25/2025
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.033 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 10 CFU/g	< 10 CFU/g	Pass	

Sample Prep

Batch Date: 03/24/2025
SOP: 406.AZ
Batch Number: 2903

Sample Analysis

Date: 03/25/2025
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.009 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11625

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 03/25/2025
SOP: 405.AZ
Batch Number: 2912

Sample Analysis

Date: 03/25/2025
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.051 g


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	65 / 196	1	1000	ND		Heptane	327 / 980	1	5000	ND	
Acetonitrile	27 / 80	1	410	ND		Hexanes	47 / 142	1	290	ND	
Benzene	0.14 / 0.39	1	2	ND		Isopropyl acetate	327 / 980	1	5000	ND	
Butanes	163 / 490	1	5000	ND		Methanol	196 / 588	1	3000	ND	
Chloroform	4 / 12	1	60	ND		Pentanes	327 / 980	1	5000	ND	
Dichloromethane	39 / 118	1	600	ND		2-Propanol (IPA)	327 / 980	1	5000	ND	
Ethanol	327 / 980	1	5000	ND		Toluene	59 / 175	1	890	ND	
Ethyl acetate	327 / 980	1	5000	ND		Xylenes	284 / 851	1	2170	ND	
Ethyl ether	327 / 980	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11625

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 03/26/2025
SOP: 428.AZ
Batch Number: 2918

Sample Analysis

Date: 03/26/2025
SOP: 428.AZ - ICP-MS
Sample Weight: 0.213 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.188	10	0.4	ND	
Cadmium	0.056	0.188	10	0.4	ND	
Lead	0.056	0.470	10	1	ND	
Mercury	0.056	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 03/24/2025
SOP: 432.AZ
Batch Number: 2901

Sample Analysis

Date: 03/25/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.512 g
Volume: 12.5 mL


Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.91	9.77	1	20	ND	R1
Aflatoxin B1	3.91	9.77	1		ND	I1
Aflatoxin B2	3.91	9.77	1		ND	
Aflatoxin G1	3.91	9.77	1		ND	
Aflatoxin G2	3.91	4.88	1		ND	R1
Ochratoxin A	9.77	9.77	1	20	ND	I1, R1V1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11625

Pesticides, Fungicides, and Growth Regulators

LC-MS/MS Pass

Sample Prep

Batch Date: 03/24/2025
SOP: 432.AZ
Batch Number: 2901

Sample Analysis

Date: 03/25/2025
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.512 g
Volume: 12.5 mL


Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.081 / 0.244	1	0.5	ND		Hexythiazox	0.163 / 0.488	1	1	ND	
Acephate	0.065 / 0.195	1	0.4	ND		Imazalil	0.032 / 0.098	1	0.2	ND	
Acetamiprid	0.032 / 0.098	1	0.2	ND		Imidacloprid	0.065 / 0.195	1	0.4	ND	
Aldicarb	0.065 / 0.195	1	0.4	ND		Kresoxim-methyl	0.065 / 0.195	1	0.4	ND	
Azoxystrobin	0.032 / 0.098	1	0.2	ND		Malathion	0.032 / 0.098	1	0.2	ND	
Bifenazate	0.032 / 0.098	1	0.2	ND		Metaxyl	0.032 / 0.098	1	0.2	ND	
Bifenthrin	0.032 / 0.098	1	0.2	ND		Methiocarb	0.032 / 0.098	1	0.2	ND	
Boscalid	0.065 / 0.195	1	0.4	ND		Methomyl	0.065 / 0.195	1	0.4	ND	
Carbaryl	0.032 / 0.098	1	0.2	ND		Myclobutanil	0.032 / 0.098	1	0.2	ND	
Carbofuran	0.032 / 0.098	1	0.2	ND		Naled	0.081 / 0.244	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.098	1	0.2	ND		Oxamyl	0.163 / 0.488	1	1	ND	
Chlorfenapyr	0.163 / 0.488	1	1	ND	R1	Paclobutrazol	0.065 / 0.195	1	0.4	ND	
Chlorpyrifos	0.032 / 0.098	1	0.2	ND		Permethrins	0.032 / 0.098	1	0.2	ND	
Clofentezine	0.032 / 0.098	1	0.2	ND		Phosmet	0.032 / 0.098	1	0.2	ND	
Cyfluthrin	0.163 / 0.488	1	1	ND		Piperonyl Butoxide	0.325 / 0.977	1	2	ND	
Cypermethrin	0.163 / 0.488	1	1	ND		Prallethrin	0.032 / 0.098	1	0.2	ND	
Daminozide	0.163 / 0.488	1	1	ND		Propiconazole	0.065 / 0.195	1	0.4	ND	
Diazinon	0.032 / 0.098	1	0.2	ND		Propoxur	0.032 / 0.098	1	0.2	ND	
Dichlorvos	0.017 / 0.049	1	0.1	ND		Pyrethrins	0.136 / 0.409	1	1	ND	
Dimethoate	0.032 / 0.098	1	0.2	ND		Pyridaben	0.032 / 0.098	1	0.2	ND	
Ethoprophos	0.032 / 0.098	1	0.2	ND		Spinosad	0.032 / 0.098	1	0.2	ND	
Etofenprox	0.065 / 0.195	1	0.4	ND		Spiromesifen	0.032 / 0.098	1	0.2	ND	
Etoxazole	0.032 / 0.098	1	0.2	ND		Spirotetramat	0.032 / 0.098	1	0.2	ND	
Fenoxycarb	0.032 / 0.098	1	0.2	ND		Spiroxamine	0.065 / 0.195	1	0.4	ND	
Fenpyroximate	0.065 / 0.195	1	0.4	ND		Tebuconazole	0.065 / 0.195	1	0.4	ND	
Fipronil	0.065 / 0.195	1	0.4	ND		Thiacloprid	0.032 / 0.098	1	0.2	ND	
Fonicamid	0.163 / 0.488	1	1	ND		Thiamethoxam	0.032 / 0.098	1	0.2	ND	
Fludioxonil	0.065 / 0.195	1	0.4	ND		Trifloxystrobin	0.032 / 0.098	1	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 11625

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:


Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Northwest Confections Arizona
7139 E 22nd St
Tucson, AZ 85710
License #: 00000116DCJL00597353
Sample ID: 2503SMAZ0385.1131
Batch #: AZ BLU B103



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 11625

Notes: Standard Compliance



Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

iLAVA Hybrid Blend Delta 9 Distillate

Batch #: 241114-006CS

Strain: Hybrid Blend

Parent Batch #:

Production Method: Alcohol

Harvest Date: 09/04/2024

Received: 11/20/2024

Sample ID: 2411SMAZ1460.4388

Amount Received: 13.8 g

Sample Type: Distillate

Sample Collected: 11/20/2024 09:18:00

Manufacture Date:

Published: 11/25/2024



COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)

Tested

Microbial Contaminants

Pass

Residual Solvents

Pass

Pesticides, Fungicides,
and Growth Regulators

Pass

Mycotoxins

Pass

Heavy Metals

Pass

Additional Analytes (Not Regulated)

Terpenes Total (Q3)

Not Tested

Moisture Analysis (Q3)

Not Tested

Water Activity (Q3)

Not Tested

Filth & Foreign (Q3)

Not Tested

Homogeneity (Q3)

Not Tested

Additional Microbial
Contaminants (Q3)

Not Tested

90.823%

Total THC

0.160%

Total CBD

0.731%

CBN

1.689%

CBG

93.725%

Total Cannabinoids (Q3)

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor

Phoenix, AZ 85013

(602) 806-6930



Accreditation # 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.

This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 11/20/2024
SOP: 418.AZ
Batch Number: 2266

Sample Analysis

Date: 11/21/2024
SOP: 417.AZ - HPLC
Sample Weight: 0.0406 g
Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.317	0.963	1	ND	ND	
CBD	0.317	0.963	1	0.160	1.604	
CBDA	0.317	0.963	1	ND	ND	
CBDV	0.317	0.963	1	ND	ND	
CBG	0.317	0.963	1	1.689	16.894	
CBGA	0.317	0.963	1	ND	ND	
CBN	0.317	0.963	1	0.731	7.308	
d8-THC	0.317	0.963	1	ND	ND	
d9-THC	0.317	0.963	1	90.823	908.235	
THCA	0.317	0.963	1	ND	ND	
THCV	0.317	0.963	1	0.320	3.204	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	90.823	908.235	
Total CBD	0.160	1.604	
Total Cannabinoids	93.725	937.245	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Microbial Analysis

Pass

Sample Prep

Batch Date: 11/21/2024
SOP: 412.AZ
Batch Number: 2271

Sample Analysis

Date: 11/22/2024
SOP: 412.AZ - 3M Petrifilm
Sample Weight: 1.007 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
E. coli	< 100 CFU/g	< 100 CFU/g	Pass	

Sample Prep

Batch Date: 11/21/2024
SOP: 406.AZ
Batch Number: 2270

Sample Analysis

Date: 11/22/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Salmonella	Not Detected in One Gram	Not Detected in One Gram	Pass	

Sample Prep

Batch Date: 11/21/2024
SOP: 406.AZ
Batch Number: 2270

Sample Analysis

Date: 11/22/2024
SOP: 406.AZ - qPCR (MG)
Sample Weight: 1.012 g

Analyte	Allowable Criteria	Actual Result	Pass/Fail	Qualifier
Aspergillus flavus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus fumigatus	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus niger	Not Detected in One Gram	Not Detected in One Gram	Pass	
Aspergillus terreus	Not Detected in One Gram	Not Detected in One Gram	Pass	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

Residual Solvents

HS-GC-MS

Pass

Sample Prep

Batch Date: 11/20/2024
SOP: 405.AZ
Batch Number: 2263

Sample Analysis

Date: 11/21/2024
SOP: 405.AZ - HS-GC-MS
Sample Weight: 0.0547 g

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Acetone	60 / 183	1	1000	ND		Heptane	305 / 914	1	5000	ND	
Acetonitrile	26 / 75	1	410	ND		Hexanes	44 / 133	1	290	ND	
Benzene	0.13 / 0.37	1	2	ND		Isopropyl acetate	305 / 914	1	5000	ND	
Butanes	152 / 457	1	5000	ND		Methanol	183 / 548	1	3000	ND	
Chloroform	4 / 11	1	60	ND		Pentanes	305 / 914	1	5000	ND	
Dichloromethane	37 / 110	1	600	ND		2-Propanol (IPA)	305 / 914	1	5000	ND	
Ethanol	305 / 914	1	5000	ND		Toluene	55 / 163	1	890	ND	
Ethyl acetate	305 / 914	1	5000	ND		Xylenes	265 / 793	1	2170	ND	
Ethyl ether	305 / 914	1	5000	ND							

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 11/22/2024
SOP: 428.AZ
Batch Number: 2277

Sample Analysis

Date: 11/22/2024
SOP: 428.AZ - ICP-MS
Sample Weight: 0.213 g
Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.056	0.188	10	0.4	ND	
Cadmium	0.056	0.188	10	0.4	ND	
Lead	0.056	0.470	10	1	ND	
Mercury	0.056	0.094	10	0.2	ND	

Mycotoxin Analysis

LC-MS/MS

Pass

Sample Prep

Batch Date: 11/21/2024
SOP: 432.AZ
Batch Number: 2274

Sample Analysis

Date: 11/22/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.559 g
Volume: 12.5 mL

Analyte	LOD (ppb)	LOQ (ppb)	Dil.	Action Limit (ppb)	Results (ppb)	Qualifier
Total Aflatoxins	3.58	8.94	1	20	ND	L1 M2 R1
Aflatoxin B1	3.58	8.94	1		ND	
Aflatoxin B2	3.58	8.94	1		ND	I1, L1 M2
Aflatoxin G1	3.58	8.94	1		ND	I1, R1
Aflatoxin G2	3.58	4.47	1		ND	V1
Ochratoxin A	8.94	8.94	1	20	ND	I1

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS
License #: 00000020LCVT89602592

Certificate: 9447

**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass**

Sample Prep

Batch Date: 11/21/2024
SOP: 432.AZ
Batch Number: 2274

Sample Analysis

Date: 11/22/2024
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.559 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.074 / 0.224	1	0.5	ND	I1 V1, M2	Hexythiazox	0.149 / 0.447	1	1	ND	M2
Acephate	0.060 / 0.179	1	0.4	ND		Imazalil	0.030 / 0.089	1	0.2	ND	
Acetamiprid	0.030 / 0.089	1	0.2	ND		Imidacloprid	0.060 / 0.179	1	0.4	ND	
Aldicarb	0.060 / 0.179	1	0.4	ND		Kresoxim-methyl	0.060 / 0.179	1	0.4	ND	
Azoxystrobin	0.030 / 0.089	1	0.2	ND		Malathion	0.030 / 0.089	1	0.2	ND	M2
Bifenazate	0.030 / 0.089	1	0.2	ND	M1	Metalaxyl	0.030 / 0.089	1	0.2	ND	
Bifenthrin	0.030 / 0.089	1	0.2	ND	M2	Methiocarb	0.030 / 0.089	1	0.2	ND	
Boscalid	0.060 / 0.179	1	0.4	ND	M2	Methomyl	0.060 / 0.179	1	0.4	ND	
Carbaryl	0.030 / 0.089	1	0.2	ND		Myclobutanil	0.030 / 0.089	1	0.2	ND	
Carbofuran	0.030 / 0.089	1	0.2	ND		Naled	0.074 / 0.224	1	0.5	ND	
Chlorantraniliprole	0.030 / 0.089	1	0.2	ND		Oxaryl	0.149 / 0.447	1	1	ND	
Chlorfenapyr	0.149 / 0.447	1	1	ND	I1, M2	Paclobutrazol	0.060 / 0.179	1	0.4	ND	V1
Chlorpyrifos	0.030 / 0.089	1	0.2	ND	M2	Permethrins	0.030 / 0.089	1	0.2	ND	M2
Clofentezine	0.030 / 0.089	1	0.2	ND	M2	Phosmet	0.030 / 0.089	1	0.2	ND	
Cyfluthrin	0.149 / 0.447	1	1	ND	M2	Piperonyl Butoxide	0.298 / 0.894	1	2	ND	
Cypermethrin	0.149 / 0.447	1	1	ND	M2	Prallethrin	0.030 / 0.089	1	0.2	ND	M2
Daminozide	0.149 / 0.447	1	1	ND		Propiconazole	0.060 / 0.179	1	0.4	ND	M2
Diazinon	0.030 / 0.089	1	0.2	ND		Propoxur	0.030 / 0.089	1	0.2	ND	
Dichlorvos	0.015 / 0.045	1	0.1	ND	M2	Pyrethrins	0.125 / 0.375	1	1	ND	I1, M2
Dimethoate	0.030 / 0.089	1	0.2	ND		Pyridaben	0.030 / 0.089	1	0.2	ND	M2
Ethoprophos	0.030 / 0.089	1	0.2	ND		Spinosad	0.030 / 0.089	1	0.2	ND	M2
Etofenprox	0.060 / 0.179	1	0.4	ND	M2	Spiromesifen	0.030 / 0.089	1	0.2	ND	M2
Etoxazole	0.030 / 0.089	1	0.2	ND		Spirotetramat	0.030 / 0.089	1	0.2	ND	
Fenoxycarb	0.030 / 0.089	1	0.2	ND		Spiroxamine	0.060 / 0.179	1	0.4	ND	
Fenpyroximate	0.060 / 0.179	1	0.4	ND	M2	Tebuconazole	0.060 / 0.179	1	0.4	ND	
Fipronil	0.060 / 0.179	1	0.4	ND	V1	Thiacloprid	0.030 / 0.089	1	0.2	ND	
Flonicamid	0.149 / 0.447	1	1	ND		Thiamethoxam	0.030 / 0.089	1	0.2	ND	
Fludioxonil	0.060 / 0.179	1	0.4	ND	M2	Trifloxystrobin	0.030 / 0.089	1	0.2	ND	M2

Ahmed Munshi

Technical Laboratory Director

Ahmed Munshi

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Cultivated By:

Manufactured By:

Disclaimer: Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child.

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation # 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



Forever 46 LLC
221 E 6th St.
3775 E 34th St.
Tucson, AZ 85713
License #: 00000057DCHF00477864
Sample ID: 2411SMAZ1460.4388
Batch #: 241114-006CS



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 9447

Notes: Distribution Chain: Forever 46 LLC ; Point of Intended Sale: Forever 46 LLC, 46 Wellness LLC

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law.
Testing results were obtained according to Smithers' quality assurance plan and requirements found in R9-17-404.03 and R9-17-404.04.
This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>